

TEST REPORT

Issued To : Sheelpe Enterprises Pvt. Ltd. (Unit-II)
Survey no. 316/S, C.S.D. Depot, Off. Airport Road,
Hansol,
Ahmedabad-380003, Gujarat

Page No 1 of 3

ULR-TC596126900000004F

Lab Id No.	: I/260113001	Sampling Date	: 13-01-2026
Test Report as per	: FSSR, 2011	Date of Receipt	: 13-01-2026
Report No	: GTL/09260127001	Report Date	: 27-01-2026
Date of Start of Analysis	: 13-01-2026	Date of Completion	: 27-01-2026

PART A. PARTICULARS OF SAMPLE SUBMITTED

a)	Nature of Sample	: Raw Water S-02
b)	Grade/Variety/Type/Class/Size etc	: 200 ml. PET Bottle
c)	Brand name, if any	: Aava
d)	Declared values, if any	: NA
e)	Code No.	: NA
f)	Batch No. & Date of Manufacture	: N.M.
g)	Quantity	: 96 x 200 ml PET Bottles
h)	Mode of Packing	: Packed in PET Bottle
i)	Date of Expiry	: N.M.
j)	BIS Seal (Intact/Not Intact/Not Sealed)	: NA
k)	IO's Sign (Signed/Not Signed)	: NA
l)	Any other information	: Sample Collected by Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Pvt. Ltd)
m)	Sampling Plan	: as per GTL/GP/SOP/055-02
n)	Environ. Condition	: Ambient
o)	Sampling Location	: Sheelpe Enterprises Pvt. Ltd. - Ahmedabad

PART C. TEST RESULTS

(A) Table-1 Organoleptic and Physical Parameter [Clause 6.2]

Sr. No.	Test Name	Unit	Result	Specification as per FSSR, 2011	Test Method
1	Colour	Hazen Unit	1	Max 2	IS:3025(P-4)
2	Odour	--	Agreeable	Agreeable	IS:3025(P-5)
3	Taste	--	Agreeable	Agreeable	IS:3025(P-8)
4	Turbidity	NTU	<0.1	Max 2	IS:3025(P-10)
5	Total Dissolved Solids	mg/l	260	150 - 700	IS:3025(P-16)
6	pH Value	--	8.07	6.5 - 8.5	IS:3025(P-11)

(Trupti Thakor)
Authorised Signatory (Microbiological)

(Hemal Darji)
Authorised Signatory (Chemical)

Report No : GTL/09260127001
Report Date : 27-01-2026

Page No 2 of 3

(B) Table-2 General Parameters Concerning Substances Undesirable in Excessive Amounts [Clause 6.2]

Sr. No.	Test Name	Unit	Result	Specification as per FSSR, 2011	Test Method
1	Nitrate (as NO ₃)	mg/l	N.D. (D.L. 0.01)	Max 50	IS:3025(P-75)
2	Nitrite (as NO ₂)	mg/l	N.D. (D.L. 0.01)	Max 0.02	IS:3025(P-75)
3	Sulphide (as H ₂ S)	mg/l	N.D. (D.L. 0.05)	Max 0.05	IS:3025(P-29)
4	Manganese (as Mn)	mg/l	N.D. (D.L. 0.02)	Max 2.0	IS:3025(P-65)
5	Copper (as Cu)	mg/l	N.D. (D.L. 0.005)	Max 1.0	IS:3025(P-65)
6	Fluoride (as F)	mg/l	N.D. (D.L. 0.01)	Max 1.0	IS:3025(P-75)
7	Barium (as Ba)	mg/l	N.D. (D.L. 0.5)	Max 1.0	Anx-G of IS:13428
8	Antimony (as Sb)	mg/l	N.D. (D.L. 0.002)	Max 0.005	IS:3025(P-65)
9	Borate (as B)	mg/l	N.D. (D.L. 0.05)	Max 5	Anx-J of IS:13428
10	Silver (as Ag)	mg/l	N.D. (D.L.=0.005)	Max 0.01	IS:3025(P-65)
11	Chloride (as Cl)	mg/l	53.42	Max 200	IS:3025(P-32)
12	Sulphate (as SO ₄)	mg/l	7.25	Max 200	IS:3025(P-75)
13	Calcium (as Ca)	mg/l	22.32	Max 100	IS:3025(P-40)
14	Magnesium (as Mg)	mg/l	15.1	Max 50	IS:3025(P-46)
15	Sodium (as Na)	mg/l	30.58	Max 150	IS:3025(P-45)
16	Alkalinity (as HCO ₃)	mg/l	173.36	75 to 400	IS:3025(P-23)
17	Selenium (as Se)	mg/l	N.D. (D.L. 0.005)	Max 0.05	IS:3025(P-65)
18	Mineral oil	mg/l	Absent	Absent	IS:3025(P-39)
19	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	Absent	Absent	IS:3025(P-43)
20	Anionic surface active agents (as MBAS)	mg/l	N.D. (D.L. 0.1)	Not Detectable	IS:3025(P-68)

(C) Table-3 Parameters Concerning Toxic Substances [Clause 6.2]

Sr. No.	Test Name	Unit	Result	Specification as per FSSR, 2011	Test Method
1	Arsenic (as As)	mg/l	N.D. (D.L. 0.005)	Max 0.05	IS:3025(P-65)
2	Cadmium (as Cd)	mg/l	N.D. (D.L. 0.002)	Max 0.003	IS:3025(P-65)
3	Cyanide (as CN)	mg/l	Absent	Absent	IS:3025(P-27)
4	Chromium (as Cr)	mg/l	N.D. (D.L. 0.01)	Max 0.05	IS:3025(P-65)
5	Mercury (as Hg)	mg/l	N.D. (D.L. 0.0005)	Max 0.001	IS:3025(P-65)
6	Lead (as Pb)	mg/l	N.D. (D.L. 0.005)	Max 0.01	IS:3025(P-65)
7	Nickel (as Ni)	mg/l	N.D. (D.L. 0.01)	Max 0.02	IS:3025(P-65)
8	Polychlorinated Biphenyl (PCB)	mg/l	N.D. (D.L. 0.00002)	Not Detectable	GL/SOP/I-025 Based on APHA 6630 B
9	Polynuclear Aromatic Hydrocarbon (PAH)	mg/l	N.D. (D.L. 0.00005)	Not Detectable	GL/SOP/I-026 Based on APHA 6440
10	Uranium (as U)	mg/l	N.D. (D.L. 0.008)	Max. 0.03	IS:3025(P-65)

(D) Table-4 Microbiological Parameters [Clause 6.1]

Sr. No.	Test Name	Result	Specification as per FSSR, 2011	Test Method
1	Escherichia coli per 250 ml	Absent	Absent	IS 15185
2	Coliform bacteria per 250 ml	Absent	Absent	IS 15185
3	Faecal Streptococci per 250 ml	Absent	Absent	IS 15185
4	Staphylococcus aureus per 250 ml	Absent	Absent	IS: 5887 (P-2)
5	Sulphite reducing anaerobes per 50 ml	Absent	Absent	Anx-C of IS:13428
6	Pseudomonas aeruginosa per 250 ml	Absent	Absent	Anx-D of IS:13428
7	Yeast & Mould count per 250 ml	Absent	Absent	IS 16069 (Part 1)
8	Salmonella per 250 ml	Absent	Absent	IS: 15187
9	Shigella per 250 ml	Absent	Absent	IS: 5887 (P-7)
10	Vibrio Cholera per 250 ml	Absent	Absent	IS: 5887 (P-5)
11	Vibrio parahaemolyticus per 250 ml	Absent	Absent	IS: 5887 (P-5)

(Tupti Thakor)
Authorised Signatory (Microbiological)

(Hemal Darji)
Authorised Signatory (Chemical)

Report No : GTL/09260127001
Report Date : 27-01-2026

Page No 3 of 3

(E) Table-5 Pesticide Residues [Clause 6.3]

Sr. No.	Test Name	Unit	Result	Specification as per FSSR, 2011	Test Method
1.	o,p DDE	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	GL/SOP/I-025 Based on AOAC 20th edition 990.06 / EPA 8141A/ EPA 515.1/ EPA 525.2 /EPA 532 / EPA 1657A
2	p,p-DDE	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
3	o,p-DDD	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
4	p,p-DDD	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
5	o,p-DDT	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
6	p,p-DDT	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
7	Lindane (γ HCH)	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
8	α HCH	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
9	β HCH	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
10	δ HCH	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
11	α Endosulfan	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
12	β Endosulfan	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
13	Endosulfan Sulfate	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
14	Monocrotophos	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
15	Ethion	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
16	Chlorpyrifos	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
17	Phorate	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
18	Phorate Sulphone	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
19	Phorate Sulphoxide	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
20	2,4-D	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
21	Butachlor	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
22	Isoproturon	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
23	Alachlor	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
24	Atrazine	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
25	Methyl Parathion	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
26	Methyl Paraoxon	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
27	Malathion	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
28	Malaoxon	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
29	Aldrin	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
30	Dieldrin	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
31	Total Pesticide Residues	mg/l	N.D.	Max 0.0005	

N.D.=Not Detected, D.L.= Detection Limit, N.A.=Not Applicable

Opinion : In the opinion of the undersigned, the submitted sample CONFORM to the above Specification.

(Trupti Thakor)
Authorised Signatory (Microbiological)



For NABL Scope



For Verification

(Hemal Darji)
Authorised Signatory (Chemical)

-----End of Report-----

TEST REPORT

Issued To : Sheelpe Enterprises Pvt. Ltd. Unit-II
Survey no. 316, C.S.D. Depot, Off. Airport Road,
Hansol,
Ahmedabad-380003, Gujarat

Page No 1 of 3

ULR-TC596125900000051F

Lab Id No.	: I/250210001	Date of Receipt	: 10-02-2025
Test Report as per	: IS : 13428:2024	Report Date	: 05-03-2025
Report No	: GTL/09250210001	Date of Completion	: 05-03-2025
Date of Start of Analysis	: 10-02-2025		

PART A. PARTICULARS OF SAMPLE SUBMITTED

a)	Nature of Sample	-	Packaged Natural Mineral Water
b)	Grade/Variety/Type/Class/Size etc	-	200 ml
c)	Brand name, if any	-	Aava
d)	Declared values, if any	-	NA
e)	Code No.	-	NA
f)	Batch No. & Date of Manufacture	-	NM., N.M.
g)	Quantity	-	72 x 200 ml PET Bottles
h)	Mode of Packing	-	Packed in PET Bottle
i)	Date of Expiry	-	N.M.
j)	BIS Seal (Intact/Not Intact/Not Sealed)	-	NA
k)	IO's Sign (Signed/Not Signed)	-	NA
l)	Any other information	-	Raw Water Sample S-02

PART C. TEST RESULTS

(A) Table-1 Organoleptic and Physical Parameter [Clause 6.2]

Sr. No.	Test Name	Unit	Result	Specific Requirements	Test Method
1	Colour	Hazen Unit	1	Max 2	IS:3025(P-4)
2	Odour	--	Agreeable	Agreeable	IS:3025(P-5)
3	Taste	--	Agreeable.a	Agreeable (Action Tend. Scale "a" or "b" or "c")	IS:3025(P-8)
4	Turbidity	NTU	<0.1	Max 2	IS:3025(P-10)
5	Total Dissolved Solids	mg/l	245	150 - 700	IS:3025(P-16)
6	pH Value	--	8.16	6.5 - 8.5	IS:3025(P-11)

(Trupti Thakor)
Authorised Signatory (Microbiological)

(Hemal Darji)
Authorised Signatory (Chemical)

Report No : I/250210001
Report Date : 05-03-2025

Page No 2 of 3

(B) Table-2 General Parametrers Concerning Substances Undesirable in Excessive Amounts [Clause 6.2]

Sr. No.	Test Name	Unit	Result	Specific Requirements	Test Method
1	Nitrate (as NO ₃)	mg/l	N.D. (D.L. 0.01)	Max 50	IS:3025(P-75)
2	Nitrite (as NO ₂)	mg/l	N.D. (D.L. 0.01)	Max 0.02	IS:3025(P-75)
3	Sulphide (as H ₂ S)	mg/l	N.D. (D.L. 0.05)	Max 0.05	IS:3025(P-29)
4	Manganese (as Mn)	mg/l	N.D. (D.L. 0.02)	Max 2.0	IS:3025(P-65)
5	Copper (as Cu)	mg/l	N.D. (D.L. 0.005)	Max 1.0	IS:3025(P-65)
6	Fluoride (as F)	mg/l	N.D. (D.L. 0.01)	Max 1	IS:3025(P-75)
7	Barium (as Ba)	mg/l	N.D. (D.L. 0.5)	Max 1	Anx-G of IS:13428
8	Antimony (as Sb)	mg/l	N.D. (D.L. 0.002)	Max 0.005	IS:3025(P-65)
9	Borate (as B)	mg/l	N.D. (D.L. 0.05)	Max 5	Anx-J of IS:13428
10	Silver (as Ag)	mg/l	N.D. (D.L. 0.005)	Max 0.01	IS:3025(P-65)
11	Chloride (as Cl)	mg/l	58.60	Max 200	IS:3025(P-32)
12	Sulphate (as SO ₄)	mg/l	10.5	Max 200	IS:3025(P-75)
13	Calcium (as Ca)	mg/l	24.41	Max 100	IS:3025(P-40)
14	Magnesium (as Mg)	mg/l	13.15	Max 50	IS:3025(P-46)
15	Sodium (as Na)	mg/l	25.80	Max 150	IS:3025(P-45)
16	Alkalinity (as HCO ₃)	mg/l	233.95	75 to 400	IS:3025(P-23)
17	Selenium (as Se)	mg/l	N.D. (D.L. 0.005)	Max 0.05	IS:3025(P-65)
18	Mineral oil	mg/l	N.D. (D.L. 0.4)	Max. 1.0	IS:3025(P-39)
19	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	N.D. (D.L. 0.001)	Max. 0.001	IS:3025(P-43)
20	Anionic surface active agents (as MBAS)	mg/l	N.D. (D.L. 0.1)	Not Detectable	IS:3025(P-68)

(C) Table-3 Parametrers Concerning Toxic Substances [Clause 6.2]

Sr. No.	Test Name	Unit	Result	Specific Requirements	Test Method
1	Arsenic (as As)	mg/l	N.D. (D.L. 0.005)	Max 0.05	IS:3025(P-65)
2	Cadmium (as Cd)	mg/l	N.D. (D.L. 0.002)	Max 0.003	IS:3025(P-65)
3	Cyanide (as CN)	mg/l	Absent	Absent	IS:3025(P-27)
4	Chromium (as Cr)	mg/l	N.D. (D.L. 0.01)	Max 0.05	IS:3025(P-65)
5	Mercury (as Hg)	mg/l	N.D. (D.L. 0.0005)	Max 0.001	IS:3025(P-65)
6	Lead (as Pb)	mg/l	N.D. (D.L. 0.005)	Max 0.01	IS:3025(P-65)
7	Nickel (as Ni)	mg/l	N.D. (D.L. 0.01)	Max 0.02	IS:3025(P-65)
8	Polychlorinated Biphenyl (PCB)	mg/l	N.D. (D.L. 0.00002)	Not Detectable	GL/SOP/I-025 Based on APHA 6630 B
9	Polynuclear Aromatic Hydrocarbon(PAH)	mg/l	N.D. (D.L. 0.00005)	Not Detectable	GL/SOP/I-026 Based on APHA 6440
10	Uranium (as U)	mg/l	N.D. (D.L. 0.008)	Max. 0.03	IS:3025(P-65)

(D) Table-4 Microbiological Parametrers [Clause 6.1]

Sr. No.	Test Name	Result	Specific Requirements	Test Method
1	Escherichia coli per 250 ml	Absent	Absent	IS 15185
2	Coliform bacteria per 250 ml	Absent	Absent	IS 15185
3	Faecal Streptococci per 250 ml	Absent	Absent	IS 15186
4	Staphylococcus aureus per 250 ml	Absent	Absent	IS: 5887 (P-2)
5	Sulphite reducing anaerobes per 50 ml	Absent	Absent	Anx-C of IS:13428
6	Pseudomonas aeruginosa per 250 ml	Absent	Absent	Anx-D of IS:13428
7	Yeast & Mould count per 250 ml	Absent	Absent	IS 16069 (Part 1)
8	Salmonella per 250 ml	Absent	Absent	IS: 15187
9	Shigella per 250 ml	Absent	Absent	IS: 5887 (P-7)
10	Vibrio Cholera per 250 ml	Absent	Absent	IS: 5887 (P-5)
11	Vibrio parahaemolyticus per 250 ml	Absent	Absent	IS: 5887 (P-5)

(Trupti Thakor)
Authorised Signatory (Microbiological)

(Hemal Darji)
Authorised Signatory (Chemical)

Report No : I/250210001
Report Date : 05-03-2025

Page No 3 of 3

(E) Table-5 Pesticide Residues [Clause 6.3]

Sr. No.	Test Name	Unit	Result	Specific Requirements	Test Method
1	o,p DDE	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	GL/SOP/I-025 Based on AOAC 20th edition 990.06 / EPA 8141A/ EPA 515.1/ EPA 525.2 /EPA 532 / EPA 1657A
2	p,p-DDE	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
3	o,p-DDD	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
4	p,p-DDD	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
5	o,p-DDT	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
6	p,p-DDT	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
7	Lindane (γ HCH)	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
8	α HCH	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
9	β HCH	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
10	δ HCH	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
11	α Endosulfan	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
12	β Endosulfan	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
13	Endosulfan Sulfate	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
14	Monocrotophos	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
15	Ethion	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
16	Chlorpyrifos	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
17	Phorate	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
18	Phorate Sulphone	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
19	Phorate Sulphoxide	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
20	2,4-D	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
21	Butachlor	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
22	Isoproturon	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
23	Atachlor	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
24	Alrazine	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
25	Methyl Parathion	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
26	Methyl Paraaxon	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
27	Malathion	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
28	Malaoxon	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
29	Aldrin	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
30	Dieldrin	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
31	Total Pesticide Residues	mg/l	N.D.	Max 0.0005	

N.D.=Not Detected, D.L.= Detection Limit, N.A.=Not Applicable

Opinion : In the opinion of the undersigned, the submitted sample CONFORM to IS:13428:2024 (Packaged Natural Mineral Water) for the tested parameters

(Trupti Thakor)
Authorised Signatory (Microbiological)



For Verification

(Hemal Darji)
Authorised Signatory (Chemical)



For NABL Scope

-----End of Report-----

FORM VII A
Report of the Food Analyst
(See Rule 2.4.2 (5) and 2.4.4 (6))

Report No. NCL-049620 (AC026097)
URL No. TC1151625000013621F

To,
The Designated Officer,
FSSAI-WR, Ahmedabad

Certified that I, **Avanee J. Macwan** duly appointed under the provisions of Food Safety and Standards Act, 2006 (34 of 2006), for **NDDB CALF LTD, Anand** received from **Parthiban A, CSFO, Western Region** a sample of **Natural Mineral Water**, bearing Code number **DO/GUJ/07** and Serial Number **152/2025** of Designated Officer of **FSSAI-WR, Ahmedabad** area on **16-07-2025** for analysis.

The condition of the container and the outer covering on receipt was as follows:

I found the sample to be **Natural Mineral Water** falling under Regulation No.2.10.7 of Food Safety and Standards (Food Products and Food additive) Regulations, 2011. The sample was in a condition fit for analysis and has been analysed from **16-07-2025** to **30-07-2025** and the result of its analysis is given below.

Analysis report

(i) Sample Description: Packaged Natural Mineral Water

(ii) Physical Appearance: Clear liquid

Sl.No	Quality Characteristics	Name of the Method of the test used	Results	Prescribed Standards as per:- As per provisions of the Act, and the rules and regulations made thereunder
1	Yeast & Mould count	IS 5403	Absent/250ml	Absent/250ml
2	Salmonella	IS 15187	Absent/250ml	Absent/250ml
3	E.coli	IS 15185	Absent/250ml	Absent/250ml
4	Coliform Count	IS 15185	Absent/250ml	Absent/250ml
5	Faecal Streptococci	IS 15186	Absent/250ml	Absent/250ml
6	Staphylococcus aureus	IS 5887 (Part 2)	Absent/250ml	Absent/250ml
7	Pseudomonas aeruginosa	Annexure D of IS 13428	Absent/250ml	Absent/250ml
8	Sulphite reducing anaerobes	Annexure C of IS 13428	Absent/50ml	Absent/50ml

NDDB CALF LTD.

Beside Anandalaya School, Anand - 388001, Gujarat, India | Phone: 02692-226660/661/655

Email: customercell@nddbcalf.com | Website: www.nddbcalf.com

Page 1 of 5

FORM VII A
Report of the Food Analyst
(See Rule 2.4.2 (5) and 2.4.4 (6))

Report No. NCL-049620 (AC026097)

URL No. TC1151625000013621F

Si.No	Quality Characteristics	Name of the Method of the test used	Results	Prescribed Standards as per:- As per provisions of the Act, and the rules and regulations made thereunder
9	Vibrio Cholera	IS 5887 (Part 5/Sec 1)	Absent/250ml	Absent/250ml
10	Vibrio Parahaemolyticus	IS 5887 (Part 5/Sec 1)	Absent/250ml	Absent/250ml
11	Shigella	IS 5887 (Part 7)	Absent/250ml	Absent/250ml
13	Total Pesticide Residue	CALF/SOP/CHEM/CCR /21	<0.00005 mg/L	0.0005 mg/L (Max.)
14	Copper	CALF/SOP/CHEM/MMS /06	<0.025 mg/L	1.000 mg/L (Max.)
15	Fluoride	CALF/SOP/CHEM/MMS /05	0.753 mg/L	1.000 mg/L (Max.)
16	Antimony	CALF/SOP/CHEM/MMS /07	<0.003 mg/L	0.005 mg/L (Max.)
17	Nickel	CALF/SOP/CHEM/MMS /07	<0.010 mg/L	0.020 mg/L (Max.)
18	Borate (as B)	CALF/SOP/CHEM/MMS /07	<0.250 mg/L	5.000 mg/L (Max.)
19	Arsenic	CALF/SOP/CHEM/MMS /07	<0.005 mg/L	0.05 mg/L (Max.)
20	Cadmium	CALF/SOP/CHEM/MMS /07	<0.002 mg/L	0.003 mg/L (Max.)
21	Cyanides	Appendix E of CALF/ SOP / CHEM / MMP/ 01	<0.010 mg/L	Absent
22	Chromium	CALF/SOP/CHEM/MMS /06	<0.025 mg/L	0.050 mg/L (Max.)
23	Mercury	CALF/SOP/CHEM/MMS /07	<0.001 mg/L	0.001 mg/L (Max.)
24	Lead	CALF/SOP/CHEM/MMS /07	<0.005 mg/L	0.010 mg/L (Max.)
25	Selenium	CALF/SOP/CHEM/MMS /07	<0.005 mg/L	0.050 mg/L (Max.)
26	Polynuclear aromatic hydrocarbon (as PAH)	APHA 23 rd edition (6440):2017	<0.050 µg/L	Not detectable
27	Polychlorinated biphenyls	APHA 23 rd edition (6630):2017	<0.050 µg/L	Not detectable
28	Alachlor	CALF/SOP/CHEM/CCR /21	<0.00005 mg/L	0.0001 mg/L (Max.)
29	Atrazine	CALF/SOP/CHEM/CCR /21	<0.00005 mg/L	0.0001 mg/L (Max.)
30	Aldrin	CALF/SOP/CHEM/CCR /21	<0.000005 mg/L	0.0001 mg/L (Max.)
31	Dieldrin	CALF/SOP/CHEM/CCR /21	<0.000005 mg/L	0.0001 mg/L (Max.)
32	α-Hexachlorocyclohexane (α-HCH)	CALF/SOP/CHEM/CCR /21	<0.000005 mg/L	0.0001 mg/L (Max.)

FORM VII A
Report of the Food Analyst
(See Rule 2.4.2 (5) and 2.4.4 (6))

Report No. NCL-049620 (AC026097)

URL No. TC1151625000013621F

Sl.No	Quality Characteristics	Name of the Method of the test used	Results	Prescribed Standards as per:- As per provisions of the Act, and the rules and regulations made thereunder
33	β -Hexachlorocyclohexane (β -HCH)	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
34	Butachlor	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
35	Chlorpyrifos	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
36	δ -Hexachlorocyclohexane (δ -HCH)	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
37	2,4 D	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
38	DDT (The limits apply to DDT, DDD, and DDE singly or in any combination)	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
39	Endosulfan (residues are measured and reported as total of endosulfan A and B and endosulfan-sulphate)	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
40	Ethion	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
41	γ -Hexachlorocyclohexane (γ -HCH) (i.e. lindane)	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
42	Isoproturon	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
43	Malathion (Malathion to be determined and expressed as combined residues of malathion and malaaxon)	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
44	Parathion Methyl	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
45	Monocrotophos	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
46	Phorate	CALF/SOP/CHEM/CCR/21	<0.00005 mg/L	0.0001 mg/L (Max.)
47	Colour	IS 3025 (Part 4): 2021	1.000 Hazen Units	2.000 Hazen Units (Max.)

FORM VII A
Report of the Food Analyst
(See Rule 2.4.2 (5) and 2.4.4 (6))

Report No. NCL-049620 (AC026097)

URL No. TC1151625000013621F

Sl.No	Quality Characteristics	Name of the Method of the test used	Results	Prescribed Standards as per:- As per provisions of the Act, and the rules and regulations made thereunder
48	Odour	IS 3025 (Part 5)	Agreeable	Agreeable
49	Taste	IS 3025 (Part 8)	Agreeable	Agreeable
50	Turbidity	IS 3025 (Part 10): 1984	<0.100 NTU	2.000 NTU (Max.)
51	Total Dissolved Solids	IS 3025 (Part-16)	294.00 mg/L	150.00 - 700.00 mg/L
52	pH	IS- 3025 (Part-11)	8.310	6.5 - 8.5
53	Nitrate (as NO ₃)	IS 3025 (Part 34): 1988	5.000 mg/L	50.000 mg/L (Max.)
54	Nitrite (NO ₂)	IS 3025 (Part 4): 2021	<0.010 mg/L	0.020 mg/L (Max.)
55	Sulphide (as H ₂ S)	Appendix F of CALF/ SOP / CHEM / MMP/ 01	<0.020 mg/L	0.050 mg/L (Max.)
56	Mineral Oil	IS 3025 (Part: 39): 2021	<1.000 mg/L	Absent
57	Phenolic Compound (as C ₆ H ₅ OH)	IS 3025 (Part 43): 2022	<0.001 µg/L	Absent
58	Manganese	CALF/SOP/CHEM/MMS /06	<0.025 mg/L	2.00 mg/L (Max.)
59	Zinc	CALF/SOP/CHEM/MMS /06	<0.500 mg/L	5.000 mg/L (Max.)
60	Barium	CALF/SOP/CHEM/MMS /06	<0.250 mg/L	1.000 mg/L (Max.)
61	Anionic detergents	Appendix H of CALF/ SOP / CHEM / MMP/ 01	<0.050 mg/L (Max.)	Not Detectable
62	Silver	CALF/SOP/CHEM/MMS /07	<0.005 mg/L	0.010 mg/L (Max.)
63	Chloride	IS 3025 (Part 32): 1988	52.000 mg/L	200.000 mg/L (Max.)
64	Sulphate (as SO ₄)	IS 3025 (Part-24/Sec-1): 2022	12.800 mg/L	200.000 mg/L (Max.)
65	Magnesium	CALF/SOP/CHEM/MMS /06	18.397 mg/L	50.000 mg/L (Max.)
66	Calcium	CALF/SOP/CHEM/MMS /06	19.107 mg/L	100.00 mg/L (Max.)
67	Sodium	CALF/SOP/CHEM/MMS /06	69.182 mg/L	150.000 mg/L (Max.)
68	Alkalinity (as HCO ₃)	IS 3025 (Part 23): 1986	107.494 mg/L	75.00 - 400.00 mg/L
69	Alpha emitters	IS 14194 (part-2) : 2022	<0.063 Bq/L	0.100 Bq/L (Max.)
70	Beta emitters	IS 14194 (part-1) : 2020	<0.052 Bq/L	1.000 Bq/L (Max.)



FORM VII A
Report of the Food Analyst
(See Rule 2.4.2 (5) and 2.4.4 (6))

Report No. NCL-049620 (AC026097)
URL No. TC1151625000013621F

Remarks: The pH is reported at 24.6°C.


Opinion: The Sample of Packaged Natural Mineral Water sent for analysis is found to comply the requirements of FSS (Food Products Standards & Food Additives) Regulations, 2011 and FSS (Contaminants, Toxins and Residues) Regulations, 2011.

Signed this on 14th August, 2025

Address: Anand



Food Analyst
Avanee J. Macwan



TEST REPORT

Issued to :

Sheelpe Enterprises Pvt Ltd. (Unit-II)
 Survey no. 316/S, C.S.D. Depot,
 Off. Airport Road, Hansol,
 Ahmedabad-380003

J.O. No. : W20250727-014-019
 ULR Code : TC5503 25 2 00032589 F
 Report Date : 01-08-2025
 Sample Receipt Date : 27-07-2025
 Account Manager : BD Team 7
 Credit Manager : Gulab/Septesh



Customer Provided Information:#

Nature/Name of the Sample
 Brand Name, if any
 Batch No.
 Mfg. Date
 Exp Date

: **Natural Mineral Water**
 : AAVA
 : 25/G/15
 : 15-07-2025
 : 6 Months From The Date of Manufacture

Laboratory Provided Information:

Sample Quantity & Packaging
 Date of Performance of Test
 Method of Sampling

: 200ml x 72, Pet Bottle
 : 27th July - 01st August, 2025
 : Sample is provided by Sheelpe Enterprises Pvt. Ltd.,
 through courier.



Analysis Report

Physical Description : Water is clear without any sediments, suspended particles & extraneous matter.

S. No.	Parameters	Unit	Test Results	Specifications as per IS-13428:2024	Method
Organoleptic & Physical Parameters					
1	Colour	Hazen	1	2 Max.	IS:3025 (P-4)
2	Odour	--	Agreeable	Agreeable	IS:3025 (P-5)
3	pH Value	--	8.02	6.5-8.5	IS:3025 (P-11)
4	Taste	--	Agreeable (b)	Agreeable [Action Tendency Scale (a)or(b)or(c)]	IS:3025 (P-8)
5	Total Dissolved Solids	mg/L	270	150-700	IS:3025 (P-16)
6	Turbidity	NTU	0.11	2 Max.	IS:3025 (P-10)
Chemical Analysis					
1	Alkalinity (as HCO ₃)	mg/L	232	75-400 Max	IS: 3025 (P-23)
2	Anionic surface active agents (as MBAS)	mg/L	BLQ, (LOQ-0.01)	Not Detectable	APHA 24 th ED.
3	Borates (as B)	mg/L	BLQ, (LOQ-0.01)	0.5 Max.	IS:3025 (P-2)
4	Calcium (as Ca)	mg/L	13.6	100 Max.	IS:3025 (P-40)
5	Chloride (as Cl)	mg/L	52.48	200 Max	IS 3025 (P-32)
6	Cyanide (as CN)	mg/L	BLQ, (LOQ-0.03)	Absent	APHA 24 th ED.
7	Fluoride (as F)	mg/L	0.17	1.0 Max.	APHA 24 th ED.
8	Mineral Oil	mg/L	BLQ, (LOQ-0.1)	1.0 Max.	IS-3025 (P-39)
9	Nitrate (as NO ₃)	mg/L	2.37	50 Max	APHA 24 th ED.
10	Nitrite (as NO ₂)	mg/L	BLQ, (LOQ-0.002)	0.02 Max.	APHA 24 th ED.
11	Phenolic compounds (as C ₆ H ₅ OH)	mg/L	BLQ, (LOQ-0.0005)	0.001 Max.	APHA 24 th ED.

Authorised Signatory

Ms. Nayla Tazeen, Scientist-B

Page 1 of 7

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARE Labs Pvt. Ltd.

#: The details are received from Customer on its own responsibility. FARE Labs Pvt. Ltd. does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to :

Sheelpe Enterprises Pvt Ltd. (Unit-II)
 Survey no. 316/S, C.S.D. Depot,
 Off. Airport Road, Hansol,
 Ahmedabad-380003

J.O. No. : W20250727-014-019
 ULR Code : TC5503 25 2 00032589 F
 Report Date : 01-08-2025
 Sample Receipt Date : 27-07-2025
 Account Manager : BD Team 7
 Credit Manager : Gulab/Septesh



Customer Provided Information:#

Nature/Name of the Sample
 Brand Name, if any
 Batch No.
 Mfg. Date
 Exp Date

: **Natural Mineral Water**
 : AAVA
 : 25/G/15
 : 15-07-2025
 : 6 Months From The Date of Manufacture

Laboratory Provided Information:

Sample Quantity & Packaging
 Date of Performance of Test
 Method of Sampling

: 200ml x 72, Pet Bottle
 : 27th July - 01st August, 2025
 : Sample is provided by Sheelpe Enterprises Pvt. Ltd.,
 through courier.



Analysis Report

S. No.	Parameters	Unit	Test Results	Specifications as per IS-13428:2024	Method
Chemical Analysis					
12	Poly aromatic hydrocarbons (PAHs)	mg/L	BLQ, (LOQ-0.00001)	Not Detectable	FL/SOP/05-14
13	Polychlorinated biphenyl (PCB)	mg/L	BLQ, (LOQ-0.00001)	Not Detectable	FL/SOP/05-07
14	Sulphide (as H ₂ S)	mg/L	BLQ, (LOQ-0.01)	0.05 Max	APHA 24 th ED.
15	Sulphate (as SO ₄)	mg/L	12.65	200 Max	APHA 24 th ED.

Authorised Signatory

Ms. Nayla Tazeen, Scientist-B

Page 2 of 7

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARE Labs Pvt. Ltd.

#: The details are received from Customer on its own responsibility. FARE Labs Pvt. Ltd. does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to :

Sheelpe Enterprises Pvt Ltd. (Unit-II)
 Survey no. 316/S, C.S.D. Depot,
 Off. Airport Road, Hansol,
 Ahmedabad-380003

J.O. No. : W20250727-014-019
 ULR Code : TC5503 25 2 00032589 F
 Report Date : 01-08-2025
 Sample Receipt Date : 27-07-2025
 Account Manager : BD Team 7
 Credit Manager : Gulab/Septesh



Customer Provided Information:#

Nature/Name of the Sample
 Brand Name, if any
 Batch No.
 Mfg. Date
 Exp Date

: **Natural Mineral Water**
 : AAVA
 : 25/G/15
 : 15-07-2025
 : 6 Months From The Date of Manufacture

Laboratory Provided Information:

Sample Quantity & Packaging
 Date of Performance of Test
 Method of Sampling

: 200ml x 72, Pet Bottle
 : 27th July - 01st August, 2025
 : Sample is provided by Sheelpe Enterprises Pvt. Ltd.,
 through courier.



Analysis Report

S. No.	Parameters	Unit	Test Results	Specifications as per IS-13428:2024	Method
Metal Analysis					
1	Antimony (as Sb)	mg/L	BLQ, (LOQ-0.002)	0.005 Max.	FL/SOP/12-01
2	Arsenic (as As)	mg/L	BLQ, (LOQ-0.002)	0.05 Max.	FL/SOP/12-01
3	Barium (as Ba)	mg/L	BLQ, (LOQ-0.01)	1.0 Max.	FL/SOP/12-01
4	Cadmium (as Cd)	mg/L	BLQ, (LOQ-0.001)	0.003 Max.	FL/SOP/12-01
5	Chromium (as Cr)	mg/L	BLQ, (LOQ-0.005)	0.05 Max.	FL/SOP/12-01
6	Copper(as Cu)	mg/L	BLQ, (LOQ-0.01)	1.0 Max.	FL/SOP/12-01
7	Lead (as Pb)	mg/L	BLQ, (LOQ-0.002)	0.01 Max.	FL/SOP/12-01
8	Magnesium (as Mg)	mg/L	11.56	50 Max.	FL/SOP/12-01
9	Manganese (as Mn)	mg/L	BLQ, (LOQ-0.005)	2.0 Max.	FL/SOP/12-01
10	Mercury (as Hg)	mg/L	BLQ, (LOQ-0.0005)	0.001 Max.	FL/SOP/12-01
11	Nickel (as Ni)	mg/L	BLQ, (LOQ-0.002)	0.02 Max.	FL/SOP/12-01
12	Silver (as Ag)	mg/L	BLQ, (LOQ-0.002)	0.01 Max.	FL/SOP/12-01
13	Sodium (as Na)	mg/L	47.37	150 Max.	APHA 24 th ED.
14	Selenium (as Se)	mg/L	BLQ, (LOQ-0.005)	0.05 Max.	FL/SOP/12-01
15	Uranium (as U)	mg/L	BLQ, (LOQ-0.005)	0.03 Max.	FL/SOP/12-01
Pesticide Residues					
1	2,4- D	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/03-02
2	Alpha- HCH	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
3	Alachlor	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02

Nidhi
Authorised Signatory
 Ms. Nidhi, Scientist-C

Page 3 of 7

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARE Labs Pvt. Ltd.

#: The details are received from Customer on its own responsibility. FARE Labs Pvt. Ltd. does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to :

Sheelpe Enterprises Pvt Ltd. (Unit-II)

Survey no. 316/S, C.S.D. Depot,
 Off. Airport Road, Hansol,
 Ahmedabad-380003

J.O. No. : W20250727-014-019
 ULR Code : TC5503 25 2 00032589 F
 Report Date : 01-08-2025
 Sample Receipt Date : 27-07-2025
 Account Manager : BD Team 7
 Credit Manager : Gulab/Septesh



Customer Provided Information:#

Nature/Name of the Sample
 Brand Name, if any
 Batch No.
 Mfg. Date
 Exp Date

: **Natural Mineral Water**
 : AAVA
 : 25/G/15
 : 15-07-2025
 : 6 Months From The Date of Manufacture

Laboratory Provided Information:

Sample Quantity & Packaging
 Date of Performance of Test
 Method of Sampling

: 200ml x 72, Pet Bottle
 : 27th July - 01st August, 2025
 : Sample is provided by Sheelpe Enterprises Pvt. Ltd.,
 through courier.



Analysis Report

S. No.	Parameters	Unit	Test Results	Specifications as per IS-13428:2024	Method
Pesticide Residues					
4	Aldrin	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
5	Atrazine	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/03-02
6	Beta- HCH	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
7	Butachlor	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
8	Chlorpyrifos	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
9	Delta- HCH	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
10	Dieldrin	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
11	Endosulfan - a	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
12	Endosulfan - β	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
13	Endosulfan Sulfate	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
14	Ethion	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
15	Gamma- HCH	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
16	Isoproturon	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/03-02

Authorised Signatory

Ms. Nidhi, Scientist-C

Page 4 of 7

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARE Labs Pvt. Ltd.

#: The details are received from Customer on its own responsibility. FARE Labs Pvt. Ltd. does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to :

Sheelpe Enterprises Pvt Ltd. (Unit-II)

Survey no. 316/S, C.S.D. Depot,
 Off. Airport Road, Hansol,
 Ahmedabad-380003

J.O. No. : W20250727-014-019
 ULR Code : TC5503 25 2 00032589 F
 Report Date : 01-08-2025
 Sample Receipt Date : 27-07-2025
 Account Manager : BD Team 7
 Credit Manager : Gulab/Septesh



Customer Provided Information:#

Nature/Name of the Sample
 Brand Name, if any
 Batch No.
 Mfg. Date
 Exp Date

: **Natural Mineral Water**
 : AAVA
 : 25/G/15
 : 15-07-2025
 : 6 Months From The Date of Manufacture

Laboratory Provided Information:

Sample Quantity & Packaging
 Date of Performance of Test
 Method of Sampling

: 200ml x 72, Pet Bottle
 : 27th July - 01st August, 2025
 : Sample is provided by Sheelpe Enterprises Pvt. Ltd.,
 through courier.



Analysis Report

S. No.	Parameters	Unit	Test Results	Specifications as per IS-13428:2024	Method
Pesticide Residues					
17	Malaoxon	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
18	Methyl Paraoxon	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
19	Malathion	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
20	Methyl parathion	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
21	Monocrotophos	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/03-02
22	Phorate Sulfone	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
23	Phorate Sulfoxide	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
24	Phorate	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
25	o,p- DDD	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
26	o,p-DDE	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
27	o,p-DDT	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
28	p,p- DDD	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02
29	p,p-DDE	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02

Nidhi
Authorised Signatory

Ms. Nidhi, Scientist-C

Page 5 of 7

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARE Labs Pvt. Ltd.

#: The details are received from Customer on its own responsibility. FARE Labs Pvt. Ltd. does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to :

Sheelpe Enterprises Pvt Ltd. (Unit-II)
 Survey no. 316/S, C.S.D. Depot,
 Off. Airport Road, Hansol,
 Ahmedabad-380003

J.O. No. : W20250727-014-019
 ULR Code : TC5503 25 2 00032589 F
 Report Date : 01-08-2025
 Sample Receipt Date : 27-07-2025
 Account Manager : BD Team 7
 Credit Manager : Gulab/Septesh



Customer Provided Information:#

Nature/Name of the Sample
 Brand Name, if any
 Batch No.
 Mfg. Date
 Exp Date

: **Natural Mineral Water**
 : AAVA
 : 25/G/15
 : 15-07-2025
 : 6 Months From The Date of Manufacture

Laboratory Provided Information:

Sample Quantity & Packaging
 Date of Performance of Test
 Method of Sampling

: 200ml x 72, Pet Bottle
 : 27th July - 01st August, 2025
 : Sample is provided by Sheelpe Enterprises Pvt. Ltd.,
 through courier.



Analysis Report

S. No.	Parameters	Unit	Test Results	Specifications as per IS-13428:2024	Method
Pesticide Residues					
30	p,p-DDT	mg/L	BLQ, (LOQ-0.00001)	0.0001 Max.	FL/SOP/05-02

Nidhi
Authorised Signatory
 Ms. Nidhi, Scientist-C

Page 6 of 7

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARE Labs Pvt. Ltd.

#: The details are received from Customer on its own responsibility. FARE Labs Pvt. Ltd. does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to :

Sheelpe Enterprises Pvt Ltd. (Unit-II)
 Survey no. 316/S, C.S.D. Depot,
 Off. Airport Road, Hansol,
 Ahmedabad-380003

J.O. No. : W20250727-014-019
 ULR Code : TC5503 25 2 00032589 F
 Report Date : 01-08-2025
 Sample Receipt Date : 27-07-2025
 Account Manager : BD Team 7
 Credit Manager : Gulab/Septesh



Customer Provided Information:#

Nature/Name of the Sample
 Brand Name, if any
 Batch No.
 Mfg. Date
 Exp Date

: **Natural Mineral Water**
 : AAVA
 : 25/G/15
 : 15-07-2025
 : 6 Months From The Date of Manufacture

Laboratory Provided Information:

Sample Quantity & Packaging
 Date of Performance of Test
 Method of Sampling

: 200ml x 72, Pet Bottle
 : 27th July - 01st August, 2025
 : Sample is provided by Sheelpe Enterprises Pvt. Ltd.,
 through courier.



Analysis Report

S. No.	Parameters	Unit	Test Results	Specifications as per IS-13428:2024	Method
Biological					
1	Coliform	/250ml	Absent	Absent	IS-15185
2	E.coli	/250ml	Absent	Absent	IS-15185
3	Faecal streptococci	/250ml	Absent	Absent	IS-15186
4	Pseudomonas aeruginosa	/250ml	Absent	Absent	IS-13428: (Annex-D)
5	S.aureus	/250ml	Absent	Absent	IS-5887 (P-2)
6	Salmonella sp.	/250ml	Absent	Absent	IS-15187
7	Shigella sp.	/250ml	Absent	Absent	IS-5887 (P-7)
8	Sulphite reducing anaerobes	/50ml	Absent	Absent	IS-13428 (Annex C)
9	Vibrio parahaemolyticus	/250ml	Absent	Absent	IS-5887 (P-5)
10	Vibrio cholerae	/250ml	Absent	Absent	IS-5887 (P-5)
11	Yeast & Mould	/250ml	Absent	Absent	IS 16069 (P-1)

LOQ= Limit of Quantification; **BLQ=** Below Limit of Quantification

Note: FL/SOP/12-01, Based on APHA 24th Ed.

Note: FL/SOP/05-14, FL/SOP/05-07 Based on AOAC 990.06

Note: FL/SOP/03-02, FL/SOP/05-02 Based on AOAC 990.06

Opinion: The tested sample of water **conforms** to the specifications of Packaged Natural Mineral Water Specification as per IS-13428:2024, with respect to above tests only.

Authorised Signatory

Dr. Jasarat Ali, Scientist-C

Page 7 of 7

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARE Labs Pvt. Ltd.

#: The details are received from Customer on its own responsibility. FARE Labs Pvt. Ltd. does not Confirm about it and hence does not take any responsibility whatsoever.

*****End of Report*****

TEST REPORT

Issued To : Sheelpe Enterprises Pvt Ltd
Survey no. 316, C.S.D. Depot, Off. Airport Road,
Hansol,
Ahmedabad-380003, Gujarat

Page No 1 of 3

ULR-TC596124900000166F

Lab Id No.	: I/240820002	Date of Receipt	: 20-08-2024
Test Report as per	: IS : 13428:2024	Report Date	: 31-08-2024
Report No	: GTL/09240820002	Date of Completion	: 31-08-2024
Date of Start of Analysis	: 20-08-2024		

PART A. PARTICULARS OF SAMPLE SUBMITTED

a)	Nature of Sample	:-	Packaged Natural Mineral Water
b)	Grade/Variety/Type/Class/Size etc	:-	500 ml PET Bottle
c)	Brand name, if any	:-	Aava
d)	Declared values, if any	:-	NA
e)	Code No.	:-	NA
f)	Batch No. & Date of Manufacture	:-	24/H/09 & 09.08.2024
g)	Quantity	:-	20 x 500 ml. PET Bottles
h)	Mode of Packing	:-	Packed in PET Bottle
i)	Date of Expiry	:-	6 Months from DOM
j)	BIS Seal (Intact/Not Intact/Not Sealed)	:-	NA
k)	IO's Sign (Signed/Not Signed)	:-	NA
l)	Any other information	:-	S-01

PART C. TEST RESULTS

(A) Table-1 Organoleptic and Physical Parameter [Clause 6.2]

Sr. No.	Test Name	Unit	Result	Specific Requirements	Test Method
1	Colour	Hazen Unit	1	Max 2	IS:3025(P-4)
2	Odour	--	Agreeable	Agreeable	IS:3025(P-5)
3	Taste	--	Agreeable.a	Agreeable (Action Test). Scale "a" or "b" or "c"	IS:3025(P-8)
4	Turbidity	NTU	<0.1	Max 2	IS:3025(P-10)
5	Total Dissolved Solids	mg/l	328	150 - 700	IS:3025(P-16)
6	pH Value	--	8.13	6.5 - 8.5	IS:3025(P-11)

(Trupti Thakor)
Authorised Signatory (Microbiological)

(Hemal Darji)
Authorised Signatory (Chemical)

Report No : I/240820002
Report Date : 31-08-2024

Page No 2 of 3

(B) Table-2 General Parametrers Concerning Substances Undesirable in Excessive Amounts [Clause 6.2]

Sr. No.	Test Name	Unit	Result	Specific Requirements	Test Method
1	Nitrate (as NO ₃)	mg/l	N.D. (D.L.1.0)	Max 50	IS:3025(P-75)
2	Nitrite (as NO ₂)	mg/l	N.D. (D.L. 0.01)	Max 0.02	IS:3025(P-75)
3	Sulphide (as H ₂ S)	mg/l	N.D. (D.L. 0.05)	Max 0.05	IS:3025(P-29)
4	Manganese (as Mn)	mg/l	N.D. (D.L. 0.02)	Max 2.0	IS:3025(P-65)
5	Copper (as Cu)	mg/l	N.D. (D.L. 0.005)	Max 1.0	IS:3025(P-65)
6	Fluoride (as F)	mg/l	N.D. (D.L. 0.25)	Max 1	IS:3025(P-75)
7	Barium (as Ba)	mg/l	N.D. (D.L. 0.5)	Max 1	Anx-G of IS:13428
8	Antimony (as Sb)	mg/l	N.D. (D.L. 0.002)	Max 0.005	IS:3025(P-65)
9	Borate (as B)	mg/l	N.D. (D.L. 0.05)	Max 5	Anx-J of IS:13428
10	Silver (as Ag)	mg/l	N.D. (D.L=0.005)	Max 0.01	IS:3025(P-65)
11	Chloride (as Cl)	mg/l	67.98	Max 200	IS:3025(P-32)
12	Sulphate (as SO ₄)	mg/l	7.59	Max 200	IS:3025(P-75)
13	Calcium (as Ca)	mg/l	25.91	Max 100	IS:3025(P-40)
14	Magnesium (as Mg)	mg/l	16.07	Max 50	IS:3025(P-46)
15	Sodium (as Na)	mg/l	32.95	Max 150	IS:3025(P-45)
16	Alkalinity (as HCO ₃)	mg/l	280.94	75 to 400	IS:3025(P-23)
17	Selenium (as Se)	mg/l	N.D. (D.L. 0.005)	Max 0.05	IS:3025(P-65)
18	Mineral oil	mg/l	N.D. (D.L. 0.4)	Max. 1.0	IS:3025(P-39)
19	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	N.D. (D.L. 0.001)	Max. 0.001	IS:3025(P-43)
20	Anionic surface active agents (as MBAS)	mg/l	N.D. (D.L. 0.1)	Not Detectable	IS:3025(P-68)

(C) Table-3 Parametrers Concerning Toxic Substances [Clause 6.2]

Sr. No.	Test Name	Unit	Result	Specific Requirements	Test Method
1	Arsenic (as As)	mg/l	N.D. (D.L. 0.005)	Max 0.05	IS:3025(P-65)
2	Cadmium (as Cd)	mg/l	N.D. (D.L. 0.002)	Max 0.003	IS:3025(P-65)
3	Cyanide (as CN)	mg/l	Absent	Absent	IS:3025(P-27)
4	Chromium (as Cr)	mg/l	N.D. (D.L. 0.01)	Max 0.05	IS:3025(P-65)
5	Mercury (as Hg)	mg/l	N.D. (D.L. 0.0005)	Max 0.001	IS:3025(P-65)
6	Lead (as Pb)	mg/l	N.D. (D.L.0.005)	Max 0.01	IS:3025(P-65)
7	Nickel (as Ni)	mg/l	N.D. (D.L. 0.01)	Max 0.02	IS:3025(P-65)
8	Polychlorinated Biphenyl (PCB)	mg/l	N.D. (D.L. 0.00002)	Not Detectable	GL/SOP/I-025 Based on APHA 6630 B
9	Polynuclear Aromatic Hydrocarbon(PAH)	mg/l	N.D. (D.L. 0.00005)	Not Detectable	GL/SOP/I-026 Based on APHA 6440
10	Uranium (as U)	mg/l	N.D. (D.L. 0.008)	Max. 0.03	IS:3025(P-65)

(D) Table-4 Microbiological Parametrers [Ciause 6.1]

Sr. No.	Test Name	Result	Specific Requirements	Test Method
1	Escherichia coli per 250 ml	Absent	Absent	IS 15185
2	Coliform bacteria per 250 ml	Absent	Absent	IS 15185
3	Faecal Streptococci per 250 ml	Absent	Absent	IS 15186
4	Staphylococcus aureus per 250 ml	Absent	Absent	IS: 5887 (P-2)
5	Sulphite reducing anaerobes per 50 ml	Absent	Absent	Anx-C of IS:13428
6	Pseudomonas aeruginosa per 250 ml	Absent	Absent	Anx-D of IS:13428
7	Yeast & Mould count per 250 ml	Absent	Absent	IS 16069 (Part 1)
8	Salmonella per 250 ml	Absent	Absent	IS: 15187
9	Shigella per 250 ml	Absent	Absent	IS: 5887 (P-7)
10	Vibrio Cholera per 250 ml	Absent	Absent	IS: 5887 (P-5)
11	Vibrio parahaemolyticus per 250 ml	Absent	Absent	IS: 5887 (P-5)

(Trupti Thakor)
Authorised Signatory (Microbiological)

(Hemal Darji)
Authorised Signatory (Chemical)

Report No : I/240820002
Report Date : 31-08-2024

Page No 3 of 3

(E) Table-5 Pesticide Residues [Clause 6.3]

Sr. No.	Test Name	Unit	Result	Specific Requirements	Test Method
1	o,p DDE	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	GL/SOP/I-025 Based on AOAC 20th edition 990.06 / EPA 8141A/ EPA 515.1/ EPA 525.2 /EPA 532 / EPA 1657A
2	p,p-DDE	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
3	o,p-DDD	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
4	p,p-DDD	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
5	o,p-DDT	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
6	p,p-DDT	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
7	Lindane (γ HCH)	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
8	α HCH	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
9	β HCH	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
10	δ HCH	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
11	α Endosulfan	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
12	β Endosulfan	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
13	Endosulfan Sulfate	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
14	Monocrotophos	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
15	Ethion	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
16	Chlorpyrifos	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
17	Phorate	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
18	Phorate Sulphone	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
19	Phorate Sulphoxide	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
20	2,4-D	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
21	Butachlor	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
22	Isoproturon	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
23	Alachlor	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
24	Atrazine	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
25	Methyl Parathion	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
26	Methyl Paraoxon	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
27	Malathion	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
28	Malaoxon	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
29	Aldrin	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
30	Dieldrin	mg/l	N.D. (D.L. 0.00001)	Max 0.0001	
31	Total Pesticide Residues	mg/l	N.D.	Max 0.0005	

N.D.=Not Detected, D.L.= Detection Limit, N.A.=Not Applicable

Opinion : In the opinion of the undersigned, the submitted sample CONFORM to IS:13428:2024 (Packaged Natural Mineral Water) for the tested parameters

(Trupti Thakor)
Authorised Signatory (Microbiological)

(Hemal Darji)
Authorised Signatory (Chemical)



For NABL Scope



For Verification

-----End of Report-----